

### Bibliography

- [1] P. A. Franken, A. E. Hill, C. W. Peters, and G. Weinreich, "Generation of Optical Harmonics" *Phys. Rev. Lett.* **7**, 118 (1961).
- [2] N. Bloembergen, *Nonlinear Optics* (Benjamin, New York, 1965).
- [3] Y. R. Shen, *The Principles of Nonlinear Optics* (Wiley, New York, 1984).
- [4] M. Schubert and B. Wilhelmi, *Nonlinear Optics and Quantum Electronics* (Wiley, New York, 1986).
- [5] R. W. Boyd, *Nonlinear Optics* (Academic Press, San Diego, CA, 2003).
- [6] J. A. Armstrong, N. Bloembergen, J. Ducuing, and P. S. Pershan, "Interactions between Light Waves in a Nonlinear Dielectric" *Phys. Rev.* **127**, 1918 (1962).
- [7] N. Bloembergen and P. S. Pershan, "Light Waves at the Boundary of Nonlinear Media" *Phys. Rev.* **128**, 606 (1962).
- [8] J. Ducuing and N. Bloembergen, "Observation of Reflected Light Harmonics at the Boundary of Piezoelectric Crystals" *Phys. Rev. Lett.* **10**, 474 (1963).
- [9] R. K. Chang, J. Ducuing, and N. Bloembergen, "Relative Phase Measurement between Fundamental and Second-Harmonic Light" *Phys. Rev. Lett.* **15**, 6 (1965).
- [10] R. W. Terhune, P. D. Maker, and C. M. Savage, "Optical Harmonic Generation in Calcite" *Phys. Rev. Lett.* **8**, 404 (1962).
- [11] J. E. Bjorkholm and A. E. Siegman, "Accurate cw Measurements of Optical Second-Harmonic Generation in Ammonium Dihydrogen Phosphate and Calcite" *Phys. Rev.* **154**, 851 (1967).
- [12] N. Bloembergen, R. K. Chang, S. S. Jha, and C. H. Lee, "Optical Second-Harmonic Generation in Reflection from Medium with Inversion Symmetry" *Phys. Rev.* **174**, 813 (1968).
- [13] C. C. Wang, "Second-Harmonic Generation of Light at the Boundary of an Isotropic Medium" *Phys. Rev.* **178**, 1457 (1969).
- [14] F. Brown and M. M., "Effect of Adsorbed Surface Layers on Second-Harmonic Light from Silver" *Phys. Rev.* **185**, 985 (1969).
- [15] J. M. Chen, J. R. Bower, C. S. Wang, and C. H. Lee, "Optical Second Harmonic Generation from Submonolayer Na-covered Ge Surfaces" *Opt. Commun.* **9**, 132 (1973).

- [16] N. Bloembergen, "Surface Nonlinear Optics: A Historical Overview" *Appl. Phys. B* **68**, 289 (1999).
- [17] M. C. Downer, "A New Low for Nonlinear Optics" *Science* **298**, 373 (2002).
- [18] Y. R. Shen, "Optical 2nd Harmonic-Generation at Interfaces" *Annu. Rev. Phys. Chem.* **40**, 327 (1989).
- [19] Y. R. Shen, "Surface-Properties Probed by 2nd-Harmonic and Sum-Frequency Generation" *Nature* **337**, 519 (1989).
- [20] G. L. Richmond, J. M. Robinson, and V. L. Shannon, "2nd Harmonic-Generation Studies of Interfacial Structure and Dynamics" *Prog. Surf. Sci.* **28**, 1 (1988).
- [21] T. F. Heinz, C. K. Chen, D. Richard, and Y. R. Shen, "Spectroscopy of Molecular Monolayers by Resonant 2nd-Harmonic Generation" *Phys. Rev. Lett.* **48**, 478 (1982).
- [22] T. F. Heinz, H. W. K. Tom, and Y. R. Shen, "Determination of Molecular-Orientation of Monolayer Adsorbates by Optical 2nd-Harmonic Generation" *Phys. Rev. A* **28**, 1883 (1983).
- [23] D. Guidotti, T. A. Driscoll, and H. J. Gerritsen, "2nd Harmonic-Generation in Centro-Symmetric Semiconductors" *Solid State Commun.* **46**, 337 (1983).
- [24] H. W. K. Tom, T. F. Heinz, and Y. R. Shen, "2nd-Harmonic Reflection from Silicon Surfaces and Its Relation to Structural Symmetry" *Phys. Rev. Lett.* **51**, 1983 (1983).
- [25] J. A. Litwin, J. E. Sipe, and H. M. Vandriel, "Picosecond and Nanosecond Laser-Induced 2nd-Harmonic Generation from Centrosymmetric Semiconductors" *Phys. Rev. B* **31**, 5543 (1985).
- [26] P. Guyotsson, W. Chen, and Y. R. Shen, "General-Considerations on Optical 2nd-Harmonic Generation from Surfaces and Interfaces" *Phys. Rev. B* **33**, 8254 (1986).
- [27] J. E. Sipe, D. J. Moss, and H. M. van Driel, "Phenomenological Theory of Optical 2nd-Harmonic and 3rd- Harmonic Generation from Cubic Centrosymmetric Crystals" *Phys. Rev. B* **35**, 1129 (1987).
- [28] J. E. Sipe, V. Mizrahi, and G. I. Stegeman, "Fundamental Difficulty in the Use of 2nd-Harmonic Generation as a Strictly Surface Probe" *Phys. Rev. B* **35**, 9091 (1987).
- [29] Y. R. Shen, "Surfaces Probed by Nonlinear Optics" *Surf. Sci.* **300**, 551 (1994).

- [30] J. F. McGilp, "Optical Characterization of Semiconductor Surfaces and Interfaces" *Prog. Surf. Sci.* **49**, 1 (1995).
- [31] G. Lüpke, "Characterization of Semiconductor Interfaces by Second-Harmonic Generation" *Surf. Sci. Rep.* **35**, 77 (1999).
- [32] D. E. Spence, P. N. Kean, and W. Sibbett, "60-Fsec Pulse Generation from a Self-Mode-Locked Ti-Sapphire Laser" *Opt. Lett.* **16**, 42 (1991).
- [33] W. Daum, H. J. Krause, U. Reichel, and H. Ibach, "Identification of Strained Silicon Layers at Si-SiO<sub>2</sub> Interfaces and Clean Si Surfaces by Nonlinear-Optical Spectroscopy" *Phys. Rev. Lett.* **71**, 1234 (1993).
- [34] B. S. Mendoza and W. L. Mochan, "Polarizable-Bond Model for Second-Harmonic Generation" *Phys. Rev. B* **55**, 2489 (1997).
- [35] B. S. Mendoza, A. Gaggiotti, and R. Del Sole, "Microscopic Theory of Second Harmonic Generation at Si(100) Surfaces" *Phys. Rev. Lett.* **81**, 3781 (1998).
- [36] O. A. Aktsipetrov, A. A. Fedyanin, V. N. Golovkina, and T. V. Murzina, "Optical Second-Harmonic Generation Induced by a Dc Electric-Field at the Si-SiO<sub>2</sub> Interface" *Opt. Lett.* **19**, 1450 (1994).
- [37] C. Ohlhoff, G. Lüpke, C. Meyer, and H. Kurz, "Static and High-Frequency Electric Fields in Silicon MOS and MS Structures Probed by Optical Second-Harmonic Generation" *Phys. Rev. B* **55**, 4596 (1997).
- [38] J. G. Mihaychuk, J. Bloch, Y. Liu, and H. M. van Driel, "Time-Dependent 2nd-Harmonic Generation from the Si-SiO<sub>2</sub> Interface Induced by Charge-Transfer" *Opt. Lett.* **20**, 2063 (1995).
- [39] K. E. Petersen, "Silicon as a Mechanical Material" *P. IEEE* **70**, 420 (1982).
- [40] C. Kittel, *Introduction to Solid State Physics* (Wiley, New York, 1996).
- [41] Y. Q. An and S. T. Cundiff, "Bulk and Surface Contributions to Resonant Second-Harmonic Generation from Si(001) surfaces" *Appl. Phys. Lett.* **81**, 5174 (2002).
- [42] Y. Q. An and S. T. Cundiff, "Phase Inversion in Rotational-Anisotropy of Second-Harmonic Generation at Si(001) Interfaces" *Phys. Rev. B* **67**, 193302 (2003).
- [43] T. H. DiStefano and D. E. Eastman, "Photoemission Measurements of Valence Levels of Amorphous SiO<sub>2</sub>" *Phys. Rev. Lett.* **27**, 1560 (1971).

- [44] T. H. DiStefano and D. E. Eastman, "Band Edge of Amorphous SiO<sub>2</sub> by Photoinjection and Photoconductivity Measurements" *Solid State Commun.* **9**, 2259 (1971).
- [45] P. S. Pershan, "Nonlinear Optical Properties of Solids: Energy Considerations" *Phys. Rev.* **130**, 919 (1963).
- [46] S. V. Popov, Y. P. Svirko, and N. I. Zheludev, *Susceptibility tensors for nonlinear optics* (Institute of Physics Pub., Bristol, [Eng.]; Philadelphia, Pa, 1995).
- [47] G. Lüpke, D. J. Bottomley, and H. M. Vandriel, "2nd-Harmonic and 3rd-Harmonic Generation from Cubic Centrosymmetric Crystals with Vicinal Faces - Phenomenological Theory and Experiment" *J. Opt. Soc. Am. B* **11**, 33 (1994).
- [48] J. E. Sipe, "New Green-Function Formalism for Surface Optics" *J. Opt. Soc. Am. B* **4**, 481 (1987).
- [49] R. J. Pressley, in *Handbook of Lasers*, edited by R. J. Pressley (Chemical Rubber Company, Cleveland, 1971).
- [50] M. D. Levenson, *Introduction to Nonlinear Laser Spectroscopy* (Academic, New York, 1982).
- [51] V. Mizrahi and J. E. Sipe, "Phenomenological Treatment of Surface 2nd-Harmonic Generation" *J. Opt. Soc. Am. B* **5**, 660 (1988).
- [52] C. W. Vanhasselt, M. A. Verheijen, and T. Rasing, "Vicinal Si(111) Surfaces Studied by Optical 2nd-Harmonic Generation - Step-Induced Anisotropy and Surface-Bulk Discrimination" *Phys. Rev. B* **42**, 9263 (1990).
- [53] D. J. Bottomley, G. Lüpke, C. Meyer, and Y. Makita, "Exact Separation of Surface and Bulk Contributions to Anisotropic 2nd-Harmonic Generation from Cubic Centrosymmetric Media" *Opt. Lett.* **20**, 453 (1995).
- [54] G. Lüpke, "Characterization of Semiconductor Interfaces by Second-Harmonic Generation" *Surf. Sci. Rep.* **35**, 77 (1999).
- [55] G. Lüpke, D. J. Bottomley, and H. M. van Driel, "SiO<sub>2</sub>/Si Interfacial Structure on Vicinal Si(100) Studied with 2nd-Harmonic Generation" *Phys. Rev. B* **47**, 10389 (1993).
- [56] S. T. Cundiff, W. H. Knox, F. H. Baumann, K. W. Evans-Lutterodt, and M. L. Green, "Second-Harmonic Generation at the Interface between Si(100) and Thin SiO<sub>2</sub> Layers" *J. Vac. Sci. Technol. A* **16**, 1730 (1998).

- [57] S. T. Cundiff, W. H. Knox, F. H. Baumann, K. W. EvansLutterodt, M. T. Tang, M. L. Green, and H. M. van Driel, "Si/SiO<sub>2</sub> Interface Roughness: Comparison between Surface Second Harmonic Generation and X-ray Scattering" *Appl. Phys. Lett.* **70**, 1414 (1997).
- [58] J. I. Dadap, B. Doris, Q. Deng, M. C. Downer, J. K. Lowell, and A. C. Diebold, "Randomly Oriented Angstrom-Scale Microroughness at the Si(100) SiO<sub>2</sub> Interface Probed by Optical 2nd-Harmonic Generation" *Appl. Phys. Lett.* **64**, 2139 (1994).
- [59] G. Erley and W. Daum, "Silicon Interband Transitions Observed at Si(100)-SiO<sub>2</sub> Interfaces" *Phys. Rev. B* **58**, R1734 (1998).
- [60] Y. R. Shen, "Surface Contribution versus Bulk Contribution in Surface Nonlinear Optical Spectroscopy" *Appl. Phys. B* **68**, 295 (1999).
- [61] J. I. Dadap, Z. Xu, X. F. Hu, M. C. Downer, N. M. Russell, J. G. Ekerdt, and O. A. Aktsipetrov, "Second-Harmonic Spectroscopy of a Si(001) Surface during Calibrated Variations in Temperature and Hydrogen Coverage" *Phys. Rev. B* **56**, 13367 (1997).
- [62] K. Kemnitz, K. Bhattacharyya, J. M. Hicks, G. R. Pinto, K. B. Eisenthal, and T. F. Heinz, "The Phase of 2nd-Harmonic Light Generated at an Interface and Its Relation to Absolute Molecular-Orientation" *Chem Phys Lett* **131**, 285 (1986).
- [63] J. Chen, S. Machida, and Y. Yamamoto, "Simultaneous Measurement of Amplitude and Phase in Surface Second-Harmonic Generation" *Opt. Lett.* **23**, 676 (1998).
- [64] W. Kern, in *Handbook of Semiconductor Wafer Cleaning Technology*, edited by W. Kern (Noyes Publications, New Jersey, 1993), p. 49.
- [65] G. S. Higashi, Y. J. Chabal, G. W. Trucks, and K. Raghavachari, "Ideal Hydrogen Termination of the Si-(111) Surface" *Appl. Phys. Lett.* **56**, 656 (1990).
- [66] J. Bloch, J. G. Mihaychuk, and H. M. van Driel, "Electron Photoinjection from Silicon to Ultrathin SiO<sub>2</sub> Films via Ambient Oxygen" *Phys. Rev. Lett.* **77**, 920 (1996).
- [67] D. E. Aspnes, in *Properties of Crystalline Silicon*, edited by R. Hull (IEE, London, 1999), p. 677.
- [68] A. Daunois and D. E. Aspnes, "Electroreflectance and Ellipsometry of Silicon from 3 to 6 eV" *Phys. Rev. B* **18**, 1824 (1978).

- [69] J. I. Dadap, X. F. Hu, M. H. Anderson, M. C. Downer, J. K. Lowell, and O. A. Aktsipetrov, "Optical Second-Harmonic Electroreflectance Spectroscopy of a Si(001) Metal-Oxide-Semiconductor Structure" *Phys. Rev. B* **53**, R7607 (1996).
- [70] P. Godefroy, W. deJong, C. W. van Hasselt, M. A. C. Devillers, and T. Rasing, "Electric Field Induced Second Harmonic Generation Spectroscopy on a Metal-Oxide-Silicon Structure" *Appl. Phys. Lett.* **68**, 1981 (1996).
- [71] O. A. Aktsipetrov, A. A. Fedyanin, A. V. Melnikov, E. D. Mishina, A. N. Rubtsov, M. H. Anderson, P. T. Wilson, H. ter Beek, X. F. Hu, J. I. Dadap, and M. C. Downer, "DC-Electric-Field-Induced and Low-Frequency Electromodulation Second-Harmonic Generation Spectroscopy of Si(001)-SiO<sub>2</sub> Interfaces" *Phys. Rev. B* **60**, 8924 (1999).
- [72] M. Cini, "Simple-Model of Electric-Dipole 2nd-Harmonic Generation from Interfaces" *Phys. Rev. B* **43**, 4792 (1991).
- [73] C. Boulas, J. V. Davidovits, F. Rondelez, and D. Vuillaume, "Suppression of Charge Carrier Tunneling through Organic Self-Assembled Monolayers" *Phys. Rev. Lett.* **76**, 4797 (1996).
- [74] K. Kassmi, J. L. Prom, and G. Sarrabayrouse, "Electrical-Conduction in MOS Capacitors with an Ultra-Thin Oxide Layer" *Solid State Electron.* **34**, 509 (1991).
- [75] J. R. Power, J. D. Omahony, S. Chandola, and J. F. Mcgilp, "Resonant Optical 2nd-Harmonic Generation at the Steps of Vicinal Si(001)" *Phys. Rev. Lett.* **75**, 1138 (1995).
- [76] J. G. Mihaychuk, N. Shamir, and H. M. van Driel, "Multiphoton Photoemission and Electric-Field-Induced Optical Second-Harmonic Generation as Probes of Charge Transfer across the Si/SiO<sub>2</sub> Interface" *Phys. Rev. B* **59**, 2164 (1999).
- [77] C. H. Lee, R. K. Chang, and N. Bloembergen, "Nonlinear Electroreflectance in Silicon and Silver" *Phys. Rev. Lett.* **18**, 167 (1967).
- [78] C. S. Chang and J. T. Lue, "Optical Second Harmonic Generation from Thin Silver Films" *Surf. Sci.* **393**, 231 (1997).
- [79] J. Dabrowski and H.-J. Müssig, *Silicon Surfaces and Formation of Interfaces: Basic Science in the Industrial World* (World Scientific, Singapore, 2000).
- [80] Y. D. Glinka, W. Wang, S. K. Singh, Z. Marka, S. N. Rashkeev, Y. Shirokaya, R. Albridge, S. T. Pantelides, N. H. Tolk, and G. Lucovsky, "Characterization of Charge-Carrier Dynamics in Thin Oxide Layers on Silicon by Second Harmonic Generation" *Phys. Rev. B* **65**, 193103 (2002).

- [81] V. Fomenko, C. Hurth, T. Ye, and E. Borguet, "Second Harmonic Generation Investigations of Charge Transfer at Chemically-Modified Semiconductor Interfaces" *J. Appl. Phys.* **91**, 4394 (2002).
- [82] V. Fomenko, J. F. Lami, and E. Borguet, "Nonquadratic Second-Harmonic Generation from Semiconductor-Oxide Interfaces" *Phys. Rev. B* **6312**, 121316 (2001).
- [83] N. Shamir, J. G. Mihaychuk, and H. M. van Driel, "Trapping and Detrapping of Electrons Photoinjected from Silicon to Ultrathin SiO<sub>2</sub> Overlayers. I. In Vacuum and in the Presence of Ambient Oxygen" *J. Appl. Phys.* **88**, 896 (2000).
- [84] H. W. K. Tom, "Studies of Surfaces Using Optical Second-Harmonic Generation" Ph.D. dissertation, UC-Berkeley, 1984
- [85] H. W. K. Tom, C. M. Mate, X. D. Zhu, J. E. Crowell, T. F. Heinz, G. A. Somorjai, and Y. R. Shen, "Surface Studies by Optical 2nd-Harmonic Generation - the Adsorption of O<sub>2</sub>, CO, and Sodium on the Rh(111) Surface" *Phys. Rev. Lett.* **52**, 348 (1984).
- [86] S. V. Govorkov, N. I. Koroteev, G. I. Petrov, I. L. Shumay, and V. V. Yakovlev, "Laser Nonlinear-Optical Probing of Silicon/SiO<sub>2</sub> Interfaces - Surface Stress Formation and Relaxation" *Appl. Phys. A* **50**, 439 (1990).
- [87] I. L. Lyubchanskii, N. N. Dadoenkova, M. I. Lyubchanskii, T. Rasing, J. W. Jeong, and S. C. Shin, "Second-Harmonic Generation from Realistic Film-Substrate Interfaces: The Effects of Strain" *Appl. Phys. Lett.* **76**, 1848 (2000).
- [88] R. W. J. Hollering and M. Barmantlo, "Symmetry Analysis of Vicinal(111) Surfaces by Optical 2nd-Harmonic Generation" *Opt. Commun.* **88**, 141 (1992).
- [89] G. G. Malliaras, H. A. Wierenga, and T. Rasing, "Study of the Step Structure of Vicinal Si(110) Surfaces Using Optical 2nd-Harmonic Generation" *Surf. Sci.* **287**, 703 (1993).
- [90] C. W. Vanhasselt, M. A. C. Devillers, T. Rasing, and O. A. Aktsipetrov, "2nd-Harmonic Generation from Thick Thermal Oxides on Si(111) - the Influence of Multiple Reflections" *J. Opt. Soc. Am. B* **12**, 33 (1995).
- [91] C. W. Vanhasselt, E. Mateman, M. A. C. Devillers, T. Rasing, A. A. Fedyanin, E. D. Mishina, O. A. Aktsipetrov, and J. C. Jans, "Oxide-Thickness Dependence of 2nd-Harmonic Generation Thick Thermal Oxides on Si(111)" *Surf. Sci.* **333**, 1367 (1995).
- [92] O. A. Aktsipetrov, A. A. Fedyanin, E. D. Mishina, A. A. Nikulin, A. N. Rubtsov, C. W. vanHasselt, M. A. C. Devillers, and T. Rasing, "Macroscopic Size Effects in Second Harmonic Generation from Si(111) Coated by Thin

- Oxide Films: The Role of Optical Casimir Nonlocality" *Phys. Rev. Lett.* **78**, 46 (1997).
- [93] M. T. Tang, K. W. Evanslutterodt, G. S. Higashi, and T. Boone, "Roughness of the Silicon (001)/SiO<sub>2</sub> Interface" *Appl. Phys. Lett.* **62**, 3144 (1993).
- [94] J. L. Dawson, K. Krisch, K. W. Evanslutterodt, M. T. Tang, L. Manchanda, M. L. Green, D. Brasen, G. S. Higashi, and T. Boone, "Kinetic Smoothing - Growth Thickness Dependence of the Interface Width of the Si(001)/SiO<sub>2</sub> Interface" *J. Appl. Phys.* **77**, 4746 (1995).
- [95] U. Emmerichs, C. Meyer, H. J. Bakker, H. Kurz, C. H. Bjorkman, C. E. Shearon, Y. Mao, T. Yasuda, Z. Jing, G. Lucovsky, and J. L. Whitten, "2nd-Harmonic Response of Chemically-Modified Vicinal Si(111) Surfaces" *Phys. Rev. B* **50**, 5506 (1994).
- [96] H. Hirayama, F. Ito, and K. Watanabe, "Effect of Hydrogen Annealing on 2nd-Harmonic Generation from SiO<sub>2</sub>/Si(111) Interfaces" *J. Vac. Sci. Technol. A-Vac. Surf. Films* **13**, 750 (1995).
- [97] H. Hirayama and K. Watanabe, "Annealing Effect on Native-Oxide/Si(111) Interfaces Studied by 2nd-Harmonic Generation" *Phys. Rev. B* **51**, 14717 (1995).
- [98] K. Watanabe, H. Hirayama, and M. Kawata, "Oxide-Nitride-Oxide/Si(111) Interfaces Analyzed by Optical 2nd-Harmonic Generation" *Appl. Phys. Lett.* **66**, 2232 (1995).
- [99] G. Lucovsky, D. R. Lee, S. V. Hattangady, H. Niimi, S. Gandhi, C. Parker, Z. Jing, J. L. Whitten, and J. R. Hauser, "Local Atomic Structure and Electrical Properties of Nitrided Si-SiO<sub>2</sub> Interfaces Produced by Low-Temperature Plasma Processing and Rapid Thermal Annealing, and Explained by ab-initio Quantum Chemistry Calculations" *Appl. Surf. Sci.* **104**, 335 (1996).
- [100] G. Lucovsky, A. Banerjee, H. Niimi, K. Koh, B. Hinds, C. Meyer, G. Lüpke, and H. Kurz, "Elimination of Sub-oxide Transition Regions at Si-SiO<sub>2</sub> Interfaces by Rapid Thermal Annealing at 900 Degrees C" *Appl. Surf. Sci.* **117**, 202 (1997).