

Bibliography

- [1] Atkins. Physical Chemistry. W. H. Freeman and Co., New York, 5th edition, 1994. p. 615.
- [2] Johnson, Cutler, Bancroft, Hu, and Tan. High-resolution photoabsorption and photoelectron spectra of bromine-containing molecules at the Br 3d edge: the importance of ligand field splitting. J. Phys. B At. Mol. Opt. Phys., 30:4899–4917, 1997.
- [3] Greenblatt, Zanni, and Neumark. Time-resolved photoelectron spectroscopy. Science, 276:1675, 1997.
- [4] Haight. Photoemission with laser generated harmonics tunable to 80 eV. Applied Optics, 35:6445, 1996.
- [5] Cornford, Frost, McDowell, Ragle, and Stenhouse. Photoelectron spectra of the halogens. J. Chem. Phys., 54:2651, 1971.
- [6] Hubinger and Nee. Journal of Photochemistry and Photobiology, 86:1, 1995.
- [7] Zanni, Taylor, Greenblatt, Soep, and Neumark. Characterization of the i_2^- anion ground state using conventional and femtosecond photoelectron spectroscopy. J. Chem. Phys., 106:19, 1997.
- [8] Davies, LeClaire, Continetti, and Hayden. Femtosecond time-resolved photoelectron-photoion coincidence imaging studies of dissociation dynamics. J. Chem. Phys., 111:1–4, 1999.
- [9] Fischer, Vrakking, Villeneuve, and Stolow. Femtosecond time-resolved zero kinetic energy photoelectron and photoionization spectroscopy studies of i_2 wavepacket dynamics. Chem. Phys., 207:331–354, 1996.
- [10] Vorsa, Campagnola, Nandi, Larsson, and Lineberger. Photofragmentation of i_2^- anion clusters: Observation of metastable isomeric fragments. J. Chem. Phys., 105:2298–2307, 1996.
- [11] Vorsa, Nandi, Campagnola, Larsson, and Lineberger. Recombination dynamics of photodissociated i_2^- in size selected Ar and CO₂ clusters. J. Chem. Phys., 106:1402–1410, 1997.

- [12] Sanov, Sanford, Nandi, and Lineberger. Spin-orbit relaxation and recombination dynamics in $i_2^-(\text{CO}_2)_n$ and $i_2^-(\text{OCS})_n$ cluster ions: A new type of photofragment caging reaction. J. Chem. Phys., 111:664–675, 1999.
- [13] Faeder and Parson. Ultrafast reaction dynamics in cluster ions: Simulation of the transient photoelectron spectrum of $i_2^- \text{Ar}_n$ photodissociation. J. Chem. Phys., 108:3909–3914, 1998.
- [14] Gruebele and Zewail. Femtosecond wavepacket spectroscopy: Coherences, the potential and structural determination. J. Chem. Phys., 98:883–902, 1993.
- [15] Ben-Nun, Levine, and Fleming. Solvent-induced nonadiabatic transitions in iodine: An ultrafast pump-probe computational study. J. Chem. Phys., 105:3035–3056, 1996.
- [16] Sorensen, Bjorneholm, Hjelte, Kihlgren, Ohrwall, Sundin, Svenson, Buil, Descamps, L’Huillier, Norin, and Wahlstrom. Femtosecond pump-probe photoelectron spectroscopy of predissociative rydberg states in acetylene. J. Chem. Phys., 112:8083–8042, 2000.
- [17] Blanchet and Stolow. Nonadiabatic dynamics in polyatomic systems studied by femtosecond time resolved photoelectron spectroscopy. J. Chem. Phys., 108:4371–4374, 1998.
- [18] Ferray, L’Huillier, Li, Lompre, Manifray, and Manus. Multiple-harmonic conversion of 1064-nm radiation in rare-gases. J. Phys B, 21:L31, 1988.
- [19] McPherson, Gibson, Jara, Johann, Luk, McIntyre, Boyer, and Phodes. Studies of multiphoton production of vacuum ultraviolet-radiation in the rare-gases. J. Opt. Soc. Am. B, 4:825, 1987.
- [20] Wahlstrom, Larsson, Persson, Starczewski, Salieres Svanberg, Balcou, and L’Huillier. High-order harmonic-generation in rare-gases with an intense short-pulse laser. Phys. Rev. A, 48:4709, 1993.
- [21] Zhou, Peatross, Murnane, and Kapteyn. Enhanced high-harmonic generation using 25 fs laser pulses. PRL, 76:752–755, 1996.
- [22] Lewenstein, Balcou, Yu, Ivanov, L’Huillier, and Corkum. Theory of high-harmonic generation by low-frequency laser fields. Phys. Rev. A, 49:2117, 1994.
- [23] Sanpera, Watson, Lewenstein, and Burnett. Harmonic-generation control. Phys. Rev. A, 54:4320, 1996.
- [24] Corkum. Plasma perspective on strong-field multiphoton ionization. Phys. Rev. Lett., 73:1994, 1993.
- [25] Schafer and Kulander. Harmonic generation from ultrafast pump lasers. PRL, 78:638–641, 1997.
- [26] Salieres, Antoine, de Bohan, and Lewenstein. Temporal and spectral tailoring of high order harmonics. Phys. Rev. Lett., 81:5544–5547, 1998.
- [27] Kan, Capjack, and Rankin. High harmonic generation. Phys. Rev. A, 52:R4336, 1995.

- [28] Probst and Haight. Unoccupied molecular orbital states of tris (8-hydroxy quinoline) aluminum: Observation and dynamics. Appl. Phys. Lett., 71:202–204, 1997.
- [29] Siffalovic, Drescher, Spieweck, Wiesenthal, Lim, Weidner, Elizarov, and Heinzmann. Laser-based apparatus for extended ultraviolet femtosecond time-resolved photoemission spectroscopy. Rev. Sci. Instr., 72:30–35, 2001.
- [30] Bauer, Lei, Read, Tobey, Murnane, and Kapteyn. Direct observation of a chemical reaction on a pt surface with high-order harmonics. 2001.
- [31] Haight, Hayden, Longo, Neary, and Wagner. Mars: Femtosecond laser mask advanced repair system in manufacturing. J VAC SCI TECHNOL B, 17:3137, 1999.
- [32] Eaton. Studies of nonlinear femtosecond pulse propagation in bulk materials. PhD thesis, University of Colorado, 1999.
- [33] Margaritondo. Introduction to Synchrotron Radiation, volume p. 59. New York, Oxford University Press, 1988.
- [34] Villoresi. On the optical analysis of the x-ray path-lengths in the diffraction of femtosecond xuv and soft x-ray pulses. Laser and particle beams, 18:529, 2000.
- [35] Kruit and Read. Magnetic-field parallelizer for 2-pi electronspectrometer and electron-image magnifier. J. Phys. E. Sci. Instrum., 16:313, 1983.
- [36] Turner, Baker, Baker, and Brundle. Molecular Photoelectron Spectroscopy. John Wiley and Sons Ltd, London, 1970.
- [37] Wahlstrom, Larsson, Persson, Starczweski, and Svanberg. High-order harmonic generation in rare gases with an intense short-pulse laser. Phys. Rev. A, 48:4709–4720, 1993.
- [38] Balcou, Huillier, and Escande. High-order harmonic generation processes in classical and quantum anharmonic oscillators. Phys. Rev. A, 53:3456–3468, 1996.
- [39] Svensson, Kikas, Ausmees, Osborne, Aksela, Naves de Brito, and Nommiste. Absolute photoionization cross sections of excited he states in the near-threshold region. J. Phys. B, 28:L293, 1995.
- [40] de Lisio, Altucci, Bruzzese, De Filippo, Solimen, Bellini, and Foggi. Harmonic generation in an ionized gas medium with a 100-femtosecond, high repetition rate laser source at intermediate intensities. Appl. Phys. B, 64:323, 1997.
- [41] L’Huillier, Lewenstien, Balcou, Salieres, Ivanov, Larsson, and Wahlstrom. Phase-matching effects in strong-field harmonic-generation. Phys. Rev. A, 48:R3433, 1993.
- [42] L’Huillier. Generation and applications of high order harmonics: An alternative coherent short-pulse xuv source. Inst. Phys. Conf. Ser., 151:445, 1996.
- [43] Salieres, L’Huillier, and Lewenstein. Coherence control of high-order harmonics. Phys. Rev. Lett., 74:3776, 1995.
- [44] L’Huillier, Balcou, Candel, Schafer, and Kulander. Calculations of high-order harmonic generation processes in xe at 1064 nm. Phys. Rev. A, 46:2778, 1992.

- [45] Cardona and Eds. Ley. Photoemission in Solids I: General Principles. Springer-Verlag, Berlin, 1978. with additional corrections.
- [46] Kimura, Yamazaki, and Achiba. He I (584 Å) photoelectron spectra and photoionization cross sections of atomic chlorine and bromine. Chem. Phys. Lett., 58:104–107, 1978.
- [47] Lappert, Brian Pedley, Sharp, and Guest. Bonding studies of compounds of boron and elements of groups 3-5. J. Chem. Soc. Dalton Trans. 2, 72:539, 1976.
- [48] Hufner. Photoelectron Spectroscopy. Springer-Verlag, New York, 1995. p. 365.
- [49] Fuggle and Mrtensson. Core-level binding energies in metals. J. Electron Spectrosc. Relat. Phenom., 21:275, 1980.
- [50] Masui, Shigemasa, Yagishita, and Sellin. New measurements of the widths of the xe 4d levels. J. Phys. B, 28:4529, 1995.
- [51] Ausmees, Osborne, Moberg, Svensson, Aksela, Sairanen, Kivimaki, Naves de Brito, Nommiste, Jauhiainen, and Aksela. Observation of anomalous behavior of the xe 4d photoelectron satellites. Phys. Rev. A, 51:855, 1995.
- [52] Chang, Rundquist, Wang, Christov, Kapteyn, and Murnane. Temporal phase control of soft-x-ray harmonic emission. Phys. Rev. A, 58:R30, 1998.
- [53] Balcou, Salieres, Budil, Ditmire, Perry, and L'Huillier. Z. Phys. D., 34:107, 1995.
- [54] Larsson, Mevel, Zerne, L'Huillier, Wahlstrom, and Svanberg. Two colour time-resolved spectroscopy of helium using high-order harmonics. J. Phys. B, 28:L53–L58, 1995.
- [55] Altucci, Delfin, Roos, Gaarde, L'Huillier, and Mercer. Frequency-resolved time-gated high-order harmonics. Phys. Rev. A, 58:3934, 1998.
- [56] Pratt. Excited-state molecular photoionization dynamics. Rep. Prog. Phys., 58:821, 1995.
- [57] Kimura. Development of laser photoelectron spectroscopy based on resonantly enhanced multiphoton ionization. JOURNAL OF ELECTRON SPECTROSCOPY AND RELATED PHENOMENA, 100:273–296, 1999.
- [58] Kimura. Molecular dynamic photoelectron spectroscopy using resonant multiphoton ionization for photophysics and photochemistry. International Reviews in Physical Chemistry, 6:195, 1987.
- [59] Kimura, Takahashi, Okuyama, and Plazibat. Application of mpi photoelectron spectroscopy to excited molecules. use of tunable vuv laser radiation. J. of Elect. Spec. and Rel. Phen., 51:383, 1990.
- [60] Capelle, Sakurai, and Broida. Lifetimes and self-quenching cross sections of vibrational levels in the b state of bromine excited by a tunable dye laser. J. Chem. Phys., 54:1728, 1971.
- [61] Herzberg. Molecular Spectra and Molecular Structure: Spectra of Diatomic Molecules. New York; Prentice-Hall, 1939.

- [62] Clyne and Heaven. Theoretical treatment of the spontaneous predissociation of br_2 $b^3\pi$. J. Chem. Phys., 76:5342, 1982.
- [63] Bouhal, Evans, Grillion, Mysyrowicz, Breger, Agostini, Constantinescu, Muller, and von der Linde. Cross-correlation measurement of femtosecond noncollinear high-order harmonics. J. Opt. Soc. Am. B, 14:950–956, 1997.
- [64] Zeek, Maginnis, Backus, Russek, Murnane, Mourou, Kapteyn, and Vdovin. Pulse compression by use of deformable mirrors. Opt. Lett., 24:493–495, 1999.
- [65] Peterson and Smith. Chem. Phys., 30:407, 1977.
- [66] Kim, McCamant, Shu, and Mathies. J. Phys. Chem. B, 105(2001):1240, 2001.
- [67] Clyne, Heaven, and Tellinghuisen. Theoretical treatment of the spontaneous predissociation of br_2 , $b^3\pi(0_u^+)$. J. Chem. Phys., 76:5341, 1982.
- [68] Trembaly, Larzilliere, Combet-Farnoux, and Morin. Photoelectron spectroscopy of atomic iodine produced by laser photodissociation. Phys. Rev. A, 38:3804–3807, 1988.
- [69] Nugent-Glandorf, Scheer, Krishnamurthy, Odom, and Leone. Photoelectron spectroscopic determination of the energy bandwidths of high-order harmonics (7th-55th) produced by an ultrafast laser in neon. Phys. Rev. A, 62:23812–1–7, 2000.
- [70] Gisselbrecht, Descamps, Lynga, L’Huillier, Wahlstrom, and Meyer. Absolute photoionization cross sections of excited he states in the near threshold region. PRL, 23:4607–4610, 1999.
- [71] Durfee, Rundquist, Backus, Herne, Murnane, and Kapteyn. Phase matching of high-order harmonics in hollow waveguides. PRL, 83:2187–2190, 1999.
- [72] Krause, Schafer, and Kulander. Calculation of photoemission from atoms subject to intense laser fields. Phys. Rev. A, 45:4998, 1992.
- [73] Shon, Suda, and Midorikawa. Generation and propagation of attosecond pulses in he gas with sub-10-fs driver pulses. Phys. Rev. A, 60:2587, 1999.
- [74] Platonenko and Strelkov. Generation of a single attosecond x-ray pulse. Quant. Elec., 28:749, 1998.
- [75] Glover, Schoenlein, Chin, and Shank. Observation of laser assisted photoelectric effect and femtosecond high order harmonic radiation. Phys. Rev. Lett., 76:2468, 1996.
- [76] Bouhal, Salieres, Breger, Agostini, Hamoniaux, Mysyrowicz, Antonetti, Constantinescu, and Muller. High-order harmonic-generation in rare-gases - a new source in photoionization spectroscopy. Phys. Rev. A, 58:389, 1998.
- [77] Ditmire, Crane, Nyuyen, DaSilva, and Perry. Energy-yield and conversion-efficiency measurements of high-order harmonic radiation. Phys. Rev. A, 51:R902, 1995.
- [78] Watson, Sanpera, and Burnett. Pulse-shape effects and blueshifting in the single-atom harmonic-generation from neutral species and ions. Phys. Rev. A, 51:1458, 1995.

- [79] J.C. Diels and W. Rudolph. Ultrashort Laser Pulse Phenomena. Academic Press, San Diego, 1996.
- [80] de Lange. Laser photoelectron spectroscopy: mixed traits of excited states. JOURNAL OF THE CHEMICAL SOCIETY-FARADAY TRANSACTIONS, 94:3409–3419, 1998.
- [81] Nilsen, Hansen, Selsto, and Madsen. Laser excitation of angular rydberg wavepackets. JOURNAL OF PHYSICS B-ATOMIC MOLECULAR AND OPTICAL PHYSICS, 32:4995–5007, 1999.
- [82] Mecking and Lambropoulos. Nondispersing radial rydberg wavepackets in doubly core-driven two-electron atoms. JOURNAL OF PHYSICS B-ATOMIC MOLECULAR AND OPTICAL PHYSICS, 31:3353–3361, 1998.
- [83] RAITHEL, HELD, MARMET, and WALTHER. Rubidium rydberg atoms in strong static fields. JOURNAL OF PHYSICS B-ATOMIC MOLECULAR AND OPTICAL PHYSICS, 27:2849–2866, 1994.
- [84] GROCHMALICKI and LEWENSTEIN. Excitation of rydberg wavepackets by short laser-pulses. JOURNAL OF PHYSICS B-ATOMIC MOLECULAR AND OPTICAL PHYSICS, 21:3285–3302, 1988.