

Bibliography

- [1] H. Traeuble and U. Essmann, J. Appl. Phys. **25**, 273 (1968); N. V. Sarma, Philos. Mag. **17**, 1233 (1968); H. F. Hess *et al.*, Phys. Rev. Lett. **62**, 214216 (1989).
- [2] F. Zernike, in Nobel Lectures, Physics (Elsevier, Amsterdam,1964), p.239, text of 1953 Nobel Prize lecture.
- [3] Atomic, Molecular, & Optical Physics Handbook, ed. Gordon W. F. Drake, American Institute of Physics 1996.
- [4] P. Schwindt, private communication.
- [5] D.M. Harber, H.J. Lewandowski, J.M. McGuirk and E.A. Cornell, cond-mat/9912308.
- [6] D. A. Butts and D. S. Rokhsar, Nature **397**, 327 (1999); H. Pu, C. K. Law, J. H. Eberly, and N. P. Bigelow, Phys. Rev. A **59**, 1533 (1999); T. Isoshima and K. Machida, Phys. Rev. A **59**, 2203 (1999); J. J. García-Ripoll and V. M. Pérez-García, Phys. Rev. A **60**, 4864 (1999).
- [7] The core-filling material is removed slowly enough (100 ms) that the vortex core has time to shrink adiabatically to its final bare size, but rapidly enough that the initial location of the bare core is well correlated with the location of the original filled core.
- [8] We use phase-contrast imaging for both the in-trap and expansion images to simplify imaging procedures. When imaging the expanded atom cloud, we obtain good signal when the probe is detuned 3 linewidths from resonance.
- [9] Because of our low trapping frequencies (7.8 Hz), expansions are correspondingly slow. We get larger final spatial distributions by giving the atoms a 6-ms preliminary “squeeze” at high spring constant, followed by a 50-ms expansion period.
- [10] Tin-Lun Ho and V. B. Shenoy, Phys. Rev. Lett. **77**, 3276 (1996); D. S. Hall *et. al.*, Phys. Rev. Lett. **81**, 1539 (1998).
- [11] G. B. Hess, Phys. Rev. **161**, 189 (1967).
- [12] Our measurements were performed at temperatures of $T = 23(6)$ nK, and relative temperatures of $T/T_c = 0.8(1)$, where T_c is the BEC critical temperature. Temperatures were measured using fits to trapped bare vortices where the core was not resolvable.

- [13] P. C. Haljan, B. P. Anderson, C. E. Wieman, and E. A. Cornell, abstract QPD1, Quantum Electronics and Laser Science Conference 2000, San Francisco, May 2000.
- [14] The vortex is formed in the $|F = 1, m_F = -1\rangle$ hyperfine state.
- [15] S. Sinha, Phys. Rev. A **55**, 4325 (1997); R. J. Dodd, K. Burnett, M. Edwards, and C. W. Clark, Phys. Rev. A **56**, 587 (1997); A. A. Svidzinsky and A. L. Fetter, Phys. Rev. A **58**, 3168 (1998); F. Zambelli and S. Stringari, Phys. Rev. Lett. **81**, 1754 (1998).
- [16] A 10% tightening of the spherical trap is achieved by turning off the component of the rotating TOP bias field along the direction of the imaging axis. This leaves an oscillating bias field perpendicular to the line of sight. The BEC equilibrium position is sagged so far vertically that the oscillating quadrupole zero of the squeezed TOP trap does not pass through the cloud.
- [17] The confining potential is squeezed over 200 ms, slow enough to prevent large-amplitude shape oscillations of the BEC but fast enough so as not to interfere significantly with the tilting dynamics.
- [18] D. S. Rokhsar, Phys. Rev. Lett. **79**, 2164 (1997); P. O. Fedichev and G. V. Shlyapnikov, Phys. Rev. A **60**, R1779 (1999); A. A. Svidzinsky and A. L. Fetter, Phys. Rev. Lett. **84**, 5919 (2000).
- [19] F. Zambelli and S. Stringari, private communication.
- [20] See for example, P. G. Drazin and R. S. Johnson, *Solitons: an Introduction* (Cambridge University Press, Cambridge, 1989).
- [21] S. Burger *et al.*, Phys. Rev. Lett. **83**, 5198 (1999); J. Denschlag *et al.*, Science **287**, 97 (2000).
- [22] See for example the review article by Y. S. Kivshar and B. Luther-Davies, Phys. Rep. **298**, 82 (1998).
- [23] V. Tikhonenko *et al.*, Opt. Lett. **21**, 1129 (1996); A. V. Mamaev, M. Saffman, and A. A. Zozulya, Phys. Rev. Lett. **76**, 2262 (1996); A. V. Mamaev *et al.*, Phys. Rev. A **54**, 870 (1996).
- [24] A. E. Muryshev, H. B. van Linden van den Heuvell, and G. V. Shlyapnikov, Phys. Rev. A **60**, R2665 (1999); P. O. Fedichev, A. E. Muryshev, and G. V. Shlyapnikov, Phys. Rev. A **60**, 3220 (1999).
- [25] Th. Busch and J. R. Anglin, cond-mat/0012354.
- [26] The spatial width of a bare dark soliton or vortex sample is on the order of the BEC healing condensates.
- [27] Condensates expand slowly when released from our weak trap. We get larger final spatial distributions by giving the atoms a 6-ms preliminary “squeeze” at high spring constants, followed by a 50-ms expansion period. Dynamical soliton

evolution and decay begins during the $|2\rangle$ removal, and continues through about the first few milliseconds of expansion; thereafter, the decay pattern is essentially frozen into the expanding sample.

- [28] A. E. Leanhardt, cond-mat/0206303.
- [29] V. K. Tkachenko, Zh. Eksp. Teor. Fiz. **50**, 1573 (1966) [Sov. Phys. JETP **23**, 1049 (1966)]; E. J. Yarmchuk, M. J. V. Gordon, and R. E. Packard, Phys. Rev. Lett. **43**, 214 (1979).
- [30] V. M. H Ruutu, U. Parts, J. H. Koivuniemi, N. B. Kopnin, and M. Krusius, JLTP **107**, 93 (1997).
- [31] J. S. Langer and M. E. Fisher, Phys. Rev. Lett. **19**, 560 (1967); S. V. Iordanskii, Zh. Exsp. Theor. Fiz. **48**, 708 (1965) [Sov. Phys. JETP **21**, 467 (1965)].
- [32] E. Varoquaux, M. W. Meisel, and O. Avenel, Phys. Rev. Lett. **57**, 229 (1986); J.C. Davis *et al.*, Phys. Rev. Lett. **69**, 323 (1992).
- [33] M. R. Matthews *et al.*, Phys. Rev. Lett. **83**, 2498 (1999); B. P. Anderson, P. C. Haljan, C. E. Wieman, and E. A. Cornell, Phys. Rev. Lett. **85**, 2857 (2000).
- [34] C. Raman *et al.*, cond-mat/0106235.
- [35] Small static trap asymmetries can have a disproportionately large effect compared to much larger rotating asymmetries. This is related to the fact (pointed out by Guery-Odelin [94]) that spin-up and spin-down times are very different for a given ($m = 2$) trap asymmetry.
- [36] In L.He. experiments, one expects very different behavior if one either (i) cools below T_c before crossing the threshold rotation for vortex nucleation or (ii) vice versa. In our experiment, the harmonic “pot” means that case (i) applies: the new-born condensate is initially too small to support a vortex.
- [37] D. V. Osborne, Proc. Phys. Soc. (London) **A63**, 909 (1950); R. Meservey, Phys. Rev. **133**, A1472 (1964).
- [38] S. Stringari, private communication.
- [39] S. Sinha, Phys. Rev. A **55**, 4325 (1997); R. J. Dodd, K. Burnett, M. Edwards, and C. W. Clark, Phys. Rev. A **56**, 587 (1997); A. A. Svidzinsky and A. L. Fetter, Phys. Rev. A **58**, 3168 (1998).
- [40] D. L. Feder and C. W. Clark, unpublished.
- [41] S. Sinha, Phys. Rev. A **55**, 4235 (1997), E. Lundh. C. J. Pethick, and H. Smith, Phys. Rev. A **55**, 2126 (1997), Y. Castin and R. Dum, Eur. Phys. J. D **7**, 399 (1999).
- [42] M. R. Matthews *et al.*, Phys. Rev. Lett. **83**, 2498 (1999); B. P. Anderson, P. C. Haljan, C. E. Wieman, and E. A. Cornell, Phys. Rev. Lett. **85**, 2857 (2000).

- [43] We impart angular momentum to the noncondensed cloud by stepwise driving a quarter cycle of a scissors mode [119].
- [44] S. Stringari, private communication. For an alternative approach, see also A. A. Svidzinsky and A. L. Fetter, *Phys. Rev. A* **58**, 3168 (1998).
- [45] We define ellipticity as $\frac{\omega_x^2 - \omega_y^2}{\omega_x^2 + \omega_y^2}$ with ω_x and ω_y being the trap frequency along the minor and major axes of the ellipse, respectively.
- [46] For related work on the evolution of the ellipticity see also P. Rosenbusch *et al.*, *Phys. Rev. Lett.* **88**, 250403 (2002).
- [47] J. R. Abo-Shaer, C. Raman, and W. Ketterle. Formation and decay of vortex lattices in Bose-Einstein condensates at finite temperatures. *Phys. Rev. Lett.*, 88:070409, February 2002.
- [48] J. R. Abo-Shaer, C. Raman, J. M. Vogels, and W. Ketterle. Observation of vortex lattices in Bose-Einstein condensates. *Science*, 292:476, March 2001.
- [49] L. Allen and J. H. Eberly. *Optical Resonance and Two-level Atoms*. Dover, 1987.
- [50] B.P. Anderson, P.C. Haljan, C.A. Regal, D.L. Feder, L.A. Collins, C.W. Clark, and E.A. Cornell. Watching dark solitons decay into vortex rings in a Bose-Einstein condensate. *Phys. Rev. Lett.*, 86(14):2926, April 2001.
- [51] B.P. Anderson, P.C. Haljan, C.E. Wieman, and E.A. Cornell. Vortex precession in Bose-Einstein condensates: Observations with filled and empty cores. *Phys. Rev. Lett.*, 85(14):2857, October 2000.
- [52] M.R. Andrews, M.-O. Mewes, N.J. van Druten, D.S. Durfee, D.M. Kurn, and W. Ketterle. Direct, nondestructive observation of a Bose condensate. *Science*, 273(0):84, July 1996.
- [53] J. R. Anglin. Local vortex generation and the surface mode spectrum of large Bose-Einstein condensates. *Phys. Rev. Lett.*, 87:240401, December 2001.
- [54] J.R. Anglin and M. Crescimanno. condmat/0210063.
- [55] Eric L. Bolda, Sze M. Tan, and Dan F. Walls. Measuring the quantum state of a Bose-Einstein condensate. *Phys. Rev. A*, 57(6):4686, June 1998.
- [56] Satyendra Bose. Plancks Gesetz und Lichtquantenhypothese. *Z. Phys.*, 26(3):178, 1924.
- [57] P. Bouyer and M.A. Kasevich. Heisenberg-limited spectroscopy with degenerate Bose-Einstein gases. *Phys. Rev. A*, 56(2):R1083, August 1997.
- [58] S. Burger, K. Bongs, S. Dettmer, W. Ertmer, K. Sengstock, A. Sanpera, G.V. Shlyapnikov, and M. Lewenstein. Dark solitons in Bose-Einstein condensates. *Phys. Rev. Lett.*, 83(25):5198, December 1999.
- [59] D.A. Butts and D.S. Rokhsar. Predicted signatures of rotating Bose-Einstein condensates. *Nature*, 397(6717):327, January 1999.

- [60] Lincoln D. Carr, Mary Ann Leung, and William P. Reinhardt. Dynamics of the Bose-Einstein condensate: quasi-one-dimension and beyond. J. Phys. B, 33:3983, 2000.
- [61] F. Chevy, K.W. Madison, and J. Dalibard. Measurement of the angular momentum of a rotating Bose-Einstein condensate. Phys. Rev. Lett., 85(11):2223, September 2000.
- [62] N. R. Claussen, E. A. Donley, S. T. Thompson, and C. E. Wieman. Microscopic dynamics in a strongly interacting Bose-Einstein condensate. Phys. Rev. Lett., 89:010401, July 2002.
- [63] N. R. Cooper, N. K. Wilkin, and J. M. F. Gunn. Quantum phases of vortices in rotating Bose-Einstein condensates. Phys. Rev. Lett., 87:120405, September 2001.
- [64] E.A. Cornell, D.S. Hall, M.R. Matthews, and C.E. Wieman. Having it both ways: Distinguishable yet phase-coherent mixtures of Bose-Einstein condensates. J. Low Temp. Phys., 113(3/4):151, 1998.
- [65] K. L. Corwin, Z.-T. Lu, C. F. Hand, R. J. Epstein, and C. E. Wieman. Frequency-stabilized diode laser with the zeeman shift in an atomic vapor. Appl. Opt., 37:3295, May 1998.
- [66] M. Cozzini and S. Stringari. cond-mat/0211294.
- [67] M. Cozzini and S. Stringari. to be published.
- [68] F. Dalfovo and S. Stringari. Shape deformations and angular-momentum transfer in trapped Bose-Einstein condensates. Phys. Rev. A, 63:011601 (R), December 2000.
- [69] Franco Dalfovo, Stefano Giorgini, Lev P. Pitaevskii, and Sandro Stringari. Theory of Bose-Einstein condensation in trapped gases. Rev. Mod. Phys., 71(3):463, April 1999.
- [70] Franco Dalfovo and Michele Modugno. Free expansion of Bose-Einstein condensates with quantized vortices. Phys. Rev. A, 61:023605, January 2000.
- [71] Diego A. R. Dalvit, Jacek Dziarmaga, and Roberto Onofrio. Measurement-induced squeezing of a Bose-Einstein condensate. Phys. Rev. A, 65:033620, February 2002.
- [72] Wolfgang Demtröder. Laser Spectroscopy. Springer, 1981.
- [73] J. Denschlag, J.E. Simsarian, D.L. Feder, Charles W. Clark, L.A. Collins, J. Cubizolles, L. Deng, E.W. Hagley, K. Helmerson, W.P. Reinhardt, S.L. Rolston, B.I. Schneider, and W.D. Phillips. Generating solitons by phase engineering of a Bose-Einstein condensate. Science, 287:97, January 2000.
- [74] R. Donnelly. Quantized vortices in helium II. University Press, Cambridge, 1991.
- [75] Z. Dutton, M. Budde, C. Slowe, and L. V. Hau. Observation of quantum shock waves created with ultra-compressed slow light pulses in a Bose-Einstein condensate. Science, 293:663, June 2001.

- [76] A. Einstein. Quantentheorie des einatomigen idealen Gases: Zweite Abhandlung. Sitzungber. Preuss. Akad. Wiss., 1925(0):3, January 1925.
- [77] P. Engels, I. Coddington, P. C. Haljan, and E. A. Cornell. Nonequilibrium effects of anisotropic compression applied to vortex lattices in Bose-Einstein condensates. Phys. Rev. Lett., 89:100403, September 2002.
- [78] Jason R. Ensher. The First Experiments with Bose-Einstein Condensation of ^{87}Rb . PhD thesis, University of Colorado (Boulder), 1998.
- [79] David L. Feder and Charles W. Clark. Superfluid-to-solid crossover in a rotating Bose-Einstein condensate. Phys. Rev. Lett., 87(19):190401, November 2001.
- [80] David L. Feder, Anatoly A. Svidzinsky, Alexander L. Fetter, and Charles W. Clark. Anomalous modes drive vortex dynamics in confined Bose-Einstein condensates. Phys. Rev. Lett., 86:564, January 2001.
- [81] D.L. Feder, M.S. Pindzola, L.A. Collins, B.I. Schneider, and C.W. Clark. Dark-soliton states of Bose-Einstein condensates in anisotropic traps. Phys. Rev. A, 62:053606, October 2000.
- [82] P.O. Fedichev and G.V. Shlyapnikov. Dissipative dynamics of a vortex state in a trapped Bose-condensed gas. Phys. Rev. A, 60(3):R1779, September 1999.
- [83] A. L. Fetter and A. A. Svidzinsky. Vortices in a trapped dilute Bose-Einstein condensate. J. Phys.-Condens. Mat., 13(12):R135, March 2001.
- [84] Alexander L. Fetter and John Dirk Walecka. Theoretical mechanics of particles and continua. McGraw-Hill, 1980.
- [85] R. P. Feynman. Progress in Low Temperature Physics, ed. C. J. Gorter, vol. 1 ch. 2, Amsterdam:New Holland (1955).
- [86] U. R. Fischer and G. Baym. condmat/0111443.
- [87] Jr. G. A. Swartzlander and C. T. Law. Optical vortex solitons observed in Kerr nonlinear media. Phys. Rev. Lett., 69(17):2503, 1992.
- [88] J.J. García-Ripoll, Gabriel Molina-Terriza, V.M. Pérez-García, and Lluís Torner. Structural instability of vortices in Bose-Einstein condensates. Phys. Rev. Lett., 87:140403, October 2001.
- [89] J.J. García-Ripoll and V.M. Pérez-García. Vortex bending and tightly packed vortex lattices in Bose-Einstein condensates. Phys. Rev. A, 64:053611, October 2001.
- [90] Juan J. García-Ripoll and Víctor M. Pérez-García. Stable and unstable vortices in multicomponent Bose-Einstein condensates. Phys. Rev. Lett., 84(19):4264, May 2000.
- [91] C. Gardiner. unpublished.

- [92] R. J. Gorndon and S. A. Rice. Active control of the dynamics of atoms and molecules. Annu. Rev. Phys. Chem., 84:601, 1997.
- [93] Markus Greiner, Olaf Mandel, Tilman Esslinger, Theodor W. Hänsch, and Immanuel Bloch. Quantum phase transition from a superfluid to a Mott insulator in a gas of ultracold atoms. Nature, 415:39, January 2002.
- [94] D. Guéry-Odelin. Spinning up and down a Boltzmann gas. Phys. Rev. A, 62:033607, August 2000.
- [95] D. Guéry-Odelin and S. Stringari. Scissors mode and superfluidity of a trapped Bose-Einstein condensed gas. Phys. Rev. Lett., 83(22):4452, November 1999.
- [96] M. Guilleumas and R. Graham. Off-axis vortices in trapped Bose-condensed gases: Angular momentum and frequency splitting. Phys. Rev. A, 64:033607, September 2001.
- [97] P. C. Haljan, I. Coddington, P. Engels, and E. A. Cornell. Driving Bose-Einstein-condensate vorticity with a rotating normal cloud. Phys. Rev. Lett., 87:210403, November 2001.
- [98] P.C. Haljan, B.P. Anderson, I. Coddington, and E.A. Cornell. Use of surface-wave spectroscopy to characterize tilt modes of a vortex in a Bose-Einstein condensate. Phys. Rev. Lett., 86(14):2922, April 2001.
- [99] D.S. Hall, M.R. Matthews, J.R. Ensher, C.E. Wieman, and E.A. Cornell. Dynamics of component separation in a binary mixture of Bose-Einstein condensates. Phys. Rev. Lett., 81(8):1539, August 1998.
- [100] G. Hechenblaikner, E. Hodby, S. A. Hopkins, O. M. Marago, and C. J. Foot. Direct observation of irrotational flow and evidence of superfluidity in a rotating Bose-Einstein condensate. Phys. Rev. Lett., 88:070406, February 2002.
- [101] T. L. Ho. Bose-Einstein condensates with large number of vortices. Phys. Rev. Lett., 87:060403, August 2001.
- [102] Tin-Lun Ho and V.B. Shenoy. Binary mixtures of Bose condensates of alkali atoms. Phys. Rev. Lett., 77(16):3276, October 1996.
- [103] E. Hodby, G. Hechenblaikner, S.A. Hopkins, O.M. Maragó, and C.J. Foot. Vortex nucleation in Bose-Einstein condensates in an oblate, purely magnetic potential. Phys. Rev. Lett., 88(1):010405, December 2001.
- [104] S. Inouye, S. Gupta, T. Rosenband, A.P. Chikkatur, A. Görlitz, T.L. Gustavson, A.E. Leanhardt, D.E. Pritchard, and W. Ketterle. Observation of vortex phase singularities in Bose-Einstein condensates. Phys. Rev. Lett., 87(8):080402, August 2001.
- [105] Tomoya Isoshima and Kazushige Machida. Bose-Einstein condensation in a confined geometry with and without a vortex. J. Phys. Soc. Jpn., 66(11):3502, November 1997.

- [106] B. Jackson, J.F. McCann, and C.S. Adams. Vortex line and ring dynamics in trapped Bose-Einstein condensates. Phys. Rev. A, 61:013604, December 1999.
- [107] B. Jackson, J.F. McCann, and C.S. Adams. Vortex rings and mutual drag in trapped Bose-Einstein condensates. Phys. Rev. A, 60(6):4882, December 1999.
- [108] B. Jackson, J.F. McCann, and C.S. Adams. Dissipation and vortex creation in Bose-Einstein condensed gases. Phys. Rev. A, 61:051603(R), April 2000.
- [109] D.S. Jin, J.R. Ensher, M.R. Matthews, C.E. Wieman, and E.A. Cornell. Collective excitations of a Bose-Einstein condensate in a dilute gas. Phys. Rev. Lett., 77(3):420, July 1996.
- [110] C. A. Jones, S. J. Putterman, and P. H. Roberts. Stability of solitary wave solutions of nonlinear schrodinger-equations in 2 and 3 dimensions. J. Phys. A, 19(15):2991, October 1986.
- [111] C. Josserand and Y. Pomeau. Generation of vortices in a model of superfluid he-4 by the kadomtsev-petviashvili instability. Europhys. Lett., 30(1):43, April 1995.
- [112] Yuri S. Kivshar, Jason Christou, Vladimir Tikhonenko, Barry Luther-Davies, and Len M. Pismen. Dynamics of optical vortex solitons. Optics Communications, 152:198, 1998.
- [113] L. D. Landau. J. Phys.(Moscow) **5**, 71 (1941).
- [114] A.J. Leggett. Superfluidity. Rev. Mod. Phys., 71(2):S318, 1999.
- [115] Fritz London. The λ -phenomenon of liquid helium and the Bose-Einstein degeneracy. Nature, 141(3571):643, April 1938.
- [116] Emil Lundh and P. Ao. Hydrodynamic approach to vortex lifetimes in trapped Bose condensates. Phys. Rev. A, 61:063612, June 2000.
- [117] K.W. Madison, F. Chevy, V. Bretin, and J. Dalibard. Stationary states of a rotating Bose-Einstein condensate: Routes to vortex nucleation. Phys. Rev. Lett., 86(20):4443, May 2001.
- [118] K.W. Madison, F. Chevy, W. Wohlleben, and J. Dalibard. Vortex formation in a stirred Bose-Einstein condensate. Phys. Rev. Lett., 84(5):806, January 2000.
- [119] O.M. Maragó, S.A. Hopkins, J. Arlt, E. Hodby, G. Heckenblaikner, and C.J. Foot. Observation of the scissors mode and evidence for superfluidity of a trapped Bose-Einstein condensed gas. Phys. Rev. Lett., 84(10):2056, March 2000.
- [120] M. R. Matthews. Two-component Bose-Einstein Condensation. PhD thesis, University of Colorado (Boulder), 1999.
- [121] M.R. Matthews, B.P. Anderson, P.C. Haljan, D.S. Hall, M.J. Holland, J.E. Williams, C.E. Wieman, and E.A. Cornell. Watching a superfluid untwist itself: Recurrence of Rabi oscillations in a Bose-Einstein condensate. Phys. Rev. Lett., 83(17):3358, October 1999.

- [122] M.R. Matthews, B.P. Anderson, P.C. Haljan, D.S. Hall, C.E. Wieman, and E.A. Cornell. Vortices in a Bose-Einstein condensate. Phys. Rev. Lett., 83(13):2498, September 1999.
- [123] S.A. McGee and M.J. Holland. Rotational dynamics of vortices in confined Bose-Einstein condensates. Phys. Rev. A, 63:043608, March 2001.
- [124] Harold J. Metcalf and Peter van der Straten. Laser Cooling and Trapping. Springer, 1999.
- [125] Gabriel Molina-Terriza, Jaume Recolons, Juan P. Torres, and Lluís Torner. Observation of the dynamical inversion of the topological charge of an optical vortex. Phys. Rev. Lett., 87:023902, July 2001.
- [126] Olivier Morice, Yvan Castin, and Jean Dalibard. Refraction index of a dilute Bose gas. Phys. Rev. A, 51(5):3896, May 1995.
- [127] E. J. Mueller and T.-L. Ho. cond-mat/0210276.
- [128] C.J. Myatt, E.A. Burt, R.W. Ghrist, E.A. Cornell, and C.E. Wieman. Production of two overlapping Bose-Einstein condensates by sympathetic cooling. Phys. Rev. Lett., 78(4):586, January 1997.
- [129] P. Nozières and D. Pines. The Theory of Quantum Liquids, vol. II, volume 2. Addison-Wesley Publishing Co., 1990.
- [130] R. Onofrio, C. Raman, J.M. Vogels, J.R. Abo-Shaeer, A.P. Chikkatur, and W. Ketterle. Observation of superfluid flow in a Bose-Einstein condensed gas. Phys. Rev. Lett., 85(11):2228, September 2000.
- [131] L. Onsager. Nuovo Cimento **6** suppl **2**, 249 (1949).
- [132] C. Orzel, A. K. Tuchman, M. L. Fenselau, M. Yasuda, and M. A. Kasevich. Squeezed states in a Bose-Einstein condensate. Science, 291:2386, March 2001.
- [133] B. Paredes, P.O. Fedichev, J.I. Cirac, and P. Zoller. $1/2$ -Anyons in small atomic Bose-Einstein condensates. Phys. Rev. Lett., 87(1):010402, July 2001.
- [134] A. A. Penckwitt, R. J. Ballagh, and C. W. Gardiner. condmat/0205037.
- [135] Víctor M. Pérez-García and Juan J. García-Ripoll. Two-mode theory of vortex stability in multicomponent Bose-Einstein condensates. Phys. Rev. A, 62:033601, August 2000.
- [136] Wolfgang Petrich, Michael H. Anderson, Jason R. Ensher, and Eric A. Cornell. Stable, tightly confining magnetic trap for evaporative cooling of neutral atoms. Phys. Rev. Lett., 74(17):3352, April 1995.
- [137] H. Pu and N.P. Bigelow. Collective excitations, metastability, and nonlinear response of a trapped two-species Bose-Einstein condensate. Phys. Rev. Lett., 80(6):1134, February 1998.

- [138] C. Raman, J. R. Abo-Shaeer, J. M. Vogels, K. Xu, and W. Ketterle. Vortex nucleation in a stirred Bose-Einstein condensate. Phys. Rev. Lett., 87:210402, November 2001.
- [139] G.W. Rayfield and F. Reif. Quantized vortex rings in superfluid helium. Phys. Rev., 136(5A):A1194, November 1964.
- [140] William P. Reinhardt and Charles W. Clark. Soliton dynamics in the collisions of Bose-Einstein condensates: an analogue of the Josephson effect. J. Phys. B, 30(0):L785, 1997.
- [141] D.S. Rokhsar. Vortex stability and persistent currents in trapped Bose gases. Phys. Rev. Lett., 79(12):2164, September 1997.
- [142] P. Rosenbusch, V. Bretin, and J. Dalibard. Dynamics of a single vortex line in a Bose-Einstein condensate. Phys. Rev. Lett., 89:200403, November 2002.
- [143] B.E.A Saleh and M.C. Teich. Fundamentals of Photonics. John Wiley & Sons, 1991.
- [144] Anthony E. Siegman. Lasers. University Science Books, 1986.
- [145] T.P. Simula, S. M. M. Virtanen, and M.M. Salomaa. Stability of multiquantum vortices in dilute Bose-Einstein condensation. Phys. Rev. A, 65:033614, February 2002.
- [146] Jairo Sinova, C. B. Hanna, and A. H. MacDonald. Quantum melting and absence of Bose-Einstein condensation in two-dimensional vortex matter. Phys. Rev. Lett., 89:030403, July 2002.
- [147] Dmitry V. Skryabin. Instabilities of vortices in a binary mixture of trapped Bose-Einstein condensates: Role of collective excitations with positive and negative energies. Phys. Rev. A, 63:013602, December 2000.
- [148] S. Stringari. Collective excitations of a trapped Bose-condensed gas. Phys. Rev. Lett., 77(12):2360, September 1996.
- [149] S. Stringari. Phase diagram of quantized vortices in a trapped Bose-Einstein condensed gas. Phys. Rev. Lett., 82(22):4371, May 1999.
- [150] S. Stringari. Superfluid gyroscope with cold atomic gases. Phys. Rev. Lett., 86(21):4725, May 2001.
- [151] Anatoly A. Svidzinsky and Alexander L. Fetter. Dynamics of a vortex in a trapped Bose-Einstein condensate. Phys. Rev. A, 62:063617, December 2000.
- [152] Anatoly A. Svidzinsky and Alexander L. Fetter. Stability of a vortex in a trapped Bose-Einstein condensate. Phys. Rev. Lett., 84(26):5919, June 2000.
- [153] J. Tempere, F. Brosens, L.F. Lemmens, and J.T. Devreese. Condensation and interaction range in harmonic boson traps: A variational approach. Phys. Rev. A, 61:043605, March 2000.

- [154] D. J. Thouless, Ping Ao, Qian Niu, M. R. Geller, and C. Wexler. Quantized vortices in superfluids and superconductors. Int. J. Mod. Phys. B, 13(5/6):675, 1999.
- [155] D. R. Tilley and J. Tilley. Superfluidity and superconductivity, 3rd ed. IOP Publishing Ltd, 1990.
- [156] W. F. Vinen. Proc. R. Soc. A, 260:218, 1961.
- [157] T. C. Weinacht, J. Ahn, and P. H. Bucksbaum. Controlling the shape of a quantum wavefunction. Nature, 397:233, January 1999.
- [158] J. E. Williams, E. Zaremba, B. Jackson, T. Nikuni, and A. Griffin. Dynamical instability of a condensate induced by a rotating thermal gas. Phys. Rev. Lett., 88:070401, January 2002.
- [159] J.E. Williams and M.J. Holland. Preparing topological states of a Bose-Einstein condensate. Nature, 401:568, October 1999.
- [160] E. J. Yarmchuk, M. J. V. Gordon, and R. E. Packard. Observation of stationary vortex arrays in rotating superfluid helium. Phys. Rev. Lett., 43:214, July 1979.
- [161] Francesca Zambelli and Sandro Stringari. Quantized vortices and collective oscillations of a trapped Bose-Einstein condensate. Phys. Rev. Lett., 81(9):1754, August 1998.
- [162] O.N. Zhuravlev, A.E. Muryshv, and P.O. Fedichev. Dissipative dynamics of vortex arrays in anisotropic traps. Phys. Rev. A, 64:053601, October 2001.