

Bibliography

- [1] “BRAN - Boulder Research and Administration Network,” <http://www.branfiber.net> .
- [2] “Linac Coherent Light Source - LCLS,” <http://www-ssl.slac.stanford.edu/lcls> .
- [3] “Timekeeping history,” <http://www.beaglesoft.com/maintimehistory.htm> .
- [4] W. J. H. Andrewes, “A chronicle of timekeeping,” *Sci. Am.* **287**, 76–85 (2002).
- [5] M. T. Asaki, C.-P. Huang, D. Garvey, J. Zhou, H. C. Kapteyn, and M. M. Murnane, “Generation of 11-fs pulses from a self-mode-locked Ti:sapphire laser,” *Opt. Lett.* **18**, 977–979 (1993).
- [6] A. Bartels and H. Kurz, “Generation of a broadband continuum by a Ti:sapphire femtosecond oscillator with a 1-GHz repetition rate,” *Opt. Lett.* **27**, 1839–1841 (2002).
- [7] S. Bize, S. A. Diddams, U. Tanaka, C. E. Tanner, W. H. Oskay, R. E. Drullinger, T. E. Parker, T. P. Heavner, S. R. Jefferts, L. Hollberg, W. M. Itano, and J. C. Bergquist, “Testing the stability of fundamental constants with the $^{199}\text{Hg}^+$ single-ion optical clock,” *Phys. Rev. Lett.* **90**, 150 802 (2003).
- [8] R. W. Boyd, Nonlinear Optics (Academic Press, San Diego, 2003).
- [9] T. P. Celano, S. R. Stein, G. A. Gifford, B. A. Mesander, and B. J. Ramsey, “Sub-picosecond active timing control over fiber optic cable,” in Proceedings of the 2002 IEEE International Frequency Control Symposium and PDA Exhibition (Institute of Electrical and Electronics Engineers, Piscataway, New Jersey, 2002), pp. 510–516.
- [10] W.-Y. Cheng, L. Chen, T. H. Yoon, J. L. Hall, and J. Ye, “Sub-Doppler molecular-iodine transitions near the dissociation limit (523-498 nm),” *Opt. Lett.* **27**, 571–573 (2002).
- [11] S. T. Cundiff, “Phase stabilization of ultrashort optical pulses,” *J. Phys. D: Appl. Phys.* **35**, R43–R59 (2002).
- [12] T. Damour and J. H. Taylor, “Strong-field tests of relativistic gravity and binary pulsars,” *Phys. Rev. D* **45**, 1840–1868 (1992).

- [13] C. Daussy, O. Lopez, A. Amy-Klein, A. Goncharov, M. Guinet, C. Chardonnet, F. Narbonneau, M. Lours, D. Chambon, S. Bize, A. Clairon, G. Santarelli, M. E. Tobar, and A. N. Luiten, “Long-distance frequency dissemination with a resolution of 10^{-17} ,” *Phys. Rev. Lett.* **94**, 203 904 (2005).
- [14] W. Demtröder, Laser Spectroscopy: Basic Concepts and Instrumentation (Springer-Verlag, Berlin, 1996), 2nd edn.
- [15] S. A. Diddams, J. C. Bergquist, S. R. Jefferts, and C. W. Oates, “Standards of time and frequency at the outset of the 21st century,” *Science* **306**, 1318–1324 (2004).
- [16] J.-C. Diels and W. Rudolph, Ultrashort Laser Pulse Phenomena: Fundamentals, Techniques, and Applications on a Femtosecond Time Scale, Optics and Photonics (Academic Press, San Diego, 1996).
- [17] J. N. Eckstein, A. I. Ferguson, and T. W. Hänsch, “High-resolution two-photon spectroscopy with picosecond light-pulses,” *Phys. Rev. Lett.* **40**, 847–850 (1978).
- [18] R. Ell, U. Morgner, F. X. Kärtner, J. G. Fujimoto, E. P. Ippen, V. Scheuer, G. Angelow, T. Tschudi, M. J. Lederer, A. Boiko, and B. Luther-Davies, “Generation of 5-fs pulses and octave-spanning spectra directly from a Ti:sapphire laser,” *Opt. Lett.* **26**, 373–375 (2001).
- [19] G. Ferrari, P. Cancio, R. Drullinger, G. Giusfredi, N. Poli, M. Prevedelli, C. Toninelli, and G. M. Tino, “Precision frequency measurement of visible intercombination lines of strontium,” *Phys. Rev. Lett.* **91**, 243 002 (2003).
- [20] J. Flowers, “The route to atomic and quantum standards,” *Science* **306**, 1324–1330 (2004).
- [21] S. M. Foreman, A. Marian, J. Ye, E. A. Petrukhin, M. A. Gubin, O. D. Mücke, F. N. C. Wong, E. P. Ippen, and F. X. Kärtner, “Demonstration of a HeNe/CH₄-based optical molecular clock,” *Opt. Lett.* **30**, 570–572 (2005).
- [22] R. L. Fork, O. E. Martinez, and J. P. Gordon, “Negative dispersion using pairs of prisms,” *Opt. Lett.* **9**, 150–152 (1984).
- [23] T. M. Fortier, D. J. Jones, and S. T. Cundiff, “Phase stabilization of an octave-spanning Ti:sapphire laser,” *Opt. Lett.* **28**, 2198–2200 (2003).
- [24] J. P. Gordon and H. A. Haus, “Random-walk of coherently amplified solitons in optical fiber transmission,” *Opt. Lett.* **11**, 665–667 (1986).
- [25] J. L. Hall and T. W. Hänsch, “History of optical comb development,” in Femtosecond Optical Frequency Comb Technology: Principle, Operation, and Applications, J. Ye and S. T. Cundiff, eds. (Springer, New York, 2005), pp. 1–11.
- [26] A. Hati, D. A. Howe, F. L. Walls, and D. Walker, “Noise figure vs. PM noise measurements: A study at microwave frequencies,” in Proceedings of the 2003 IEEE International Frequency Control Symposium and PDA Exhibition Jointly with the 17th European Frequency and Time Forum (Institute of Electrical and Electronics Engineers, Piscataway, New Jersey, 2003), pp. 516–520.

- [27] H. A. Haus and E. P. Ippen, “Group velocity of solitons,” *Opt. Lett.* **26**, 1654–1656 (2001).
- [28] H. A. Haus, I. Sorokina, and E. Sorokin, “Raman-induced redshift of ultrashort mode-locked laser pulses,” *J. Opt. Soc. Am. B-Opt. Phys.* **15**, 223–231 (1998).
- [29] T. P. Heavner, S. R. Jefferts, E. A. Donley, J. H. Shirley, and T. E. Parker, “Recent improvements in NIST-F1 and a resulting accuracy of $\delta f/f = 0.61 \times 10^{-15}$,” *IEEE Trans. Instrum. Meas.* **54**, 842–845 (2005).
- [30] F. W. Helbing, G. Steinmeyer, U. Keller, R. S. Windeler, J. Stenger, and H. R. Telle, “Carrier-envelope offset dynamics of mode-locked lasers,” *Opt. Lett.* **27**, 194–196 (2002).
- [31] L. Hollberg, C. W. Oates, E. A. Curtis, E. N. Ivanov, S. A. Diddams, T. Udem, H. G. Robinson, J. C. Bergquist, R. J. Rafac, W. M. Itano, R. E. Drullinger, and D. J. Wineland, “Optical frequency standards and measurements,” *IEEE J. Quantum Electron.* **37**, 1502–1513 (2001).
- [32] K. W. Holman, D. D. Hudson, J. Ye, and D. J. Jones, “Remote transfer of a high-stability and ultralow-jitter timing signal,” *Opt. Lett.* **30**, 1225–1227 (2005).
- [33] K. W. Holman, D. J. Jones, D. D. Hudson, and J. Ye, “Precise frequency transfer through a fiber network by use of 1.5- μm mode-locked sources,” *Opt. Lett.* **29**, 1554–1556 (2004).
- [34] K. W. Holman, D. J. Jones, J. Ye, and E. P. Ippen, “Orthogonal control of the frequency comb dynamics of a mode-locked laser diode,” *Opt. Lett.* **28**, 2405–2407 (2003).
- [35] K. W. Holman, R. J. Jones, A. Marian, S. T. Cundiff, and J. Ye, “Detailed studies and control of intensity-related dynamics of femtosecond frequency combs from mode-locked Ti:sapphire lasers,” *IEEE J. Sel. Top. Quantum Electron.* **9**, 1018–1024 (2003).
- [36] K. W. Holman, R. J. Jones, A. Marian, S. T. Cundiff, and J. Ye, “Intensity-related dynamics of femtosecond frequency combs,” *Opt. Lett.* **28**, 851–853 (2003).
- [37] T. Hong, C. Cramer, W. Nagourney, and E. N. Fortson, “Optical clocks based on ultranarrow three-photon resonances in alkaline earth atoms,” *Phys. Rev. Lett.* **94**, 050 801 (2005).
- [38] D. D. Hudson, K. W. Holman, R. J. Jones, S. T. Cundiff, J. Ye, and D. J. Jones, “Mode-locked fiber laser frequency-controlled with an intracavity electro-optic modulator,” *Opt. Lett.* (in press).
- [39] T. Ido, T. H. Loftus, M. M. Boyd, A. D. Ludlow, K. W. Holman, and J. Ye, “Precision spectroscopy and density-dependent frequency shifts in ultracold Sr,” *Phys. Rev. Lett.* **94**, 153 001 (2005).
- [40] E. N. Ivanov, design provided by S. A. Diddams.

- [41] E. N. Ivanov, S. A. Diddams, and L. Hollberg, “Analysis of noise mechanisms limiting the frequency stability of microwave signals generated with a femtosecond laser,” *IEEE J. Sel. Top. Quantum Electron.* **9**, 1059–1065 (2003).
- [42] L. A. Jiang, M. E. Grein, E. P. Ippen, C. McNeilage, J. Searls, and H. Yokoyama, “Quantum-limited noise performance of a mode-locked laser diode,” *Opt. Lett.* **27**, 49–51 (2002).
- [43] Z. Jiang, S.-D. Yang, D. E. Leaird, and A. M. Weiner, “Fully dispersion-compensated ~ 500 fs pulse transmission over 50 km single-mode fiber,” *Opt. Lett.* **30**, 1449–1451 (2005).
- [44] D. J. Jones, S. A. Diddams, J. K. Ranka, A. Stentz, R. S. Windeler, J. L. Hall, and S. T. Cundiff, “Carrier-envelope phase control of femtosecond mode-locked lasers and direct optical frequency synthesis,” *Science* **288**, 635–639 (2000).
- [45] D. J. Jones, K. W. Holman, M. Notcutt, J. Ye, J. Chandalia, L. A. Jiang, E. P. Ippen, and H. Yokoyama, “Ultralow-jitter, 1550-nm mode-locked semiconductor laser synchronized to a visible optical frequency standard,” *Opt. Lett.* **28**, 813–815 (2003).
- [46] R. J. Jones, W.-Y. Cheng, K. W. Holman, L. Chen, J. L. Hall, and J. Ye, “Absolute-frequency measurement of the iodine-based length standard at 514.67 nm,” *Appl. Phys. B: Lasers Opt.* **74**, 597–601 (2002).
- [47] V. L. Kalashnikov, E. Sorokin, and I. T. Sorokina, “Mechanisms of spectral shift in ultrashort-pulse laser oscillators,” *J. Opt. Soc. Am. B-Opt. Phys.* **18**, 1732–1741 (2001).
- [48] S. G. Karshenboim, “Some possibilities for laboratory searches for variations of fundamental constants,” *Can. J. Phys.* **78**, 639–678 (2000).
- [49] H. Katori, T. Ido, Y. Isoya, and M. Kuwata-Gonokami, “Magneto-optical trapping and cooling of strontium atoms down to the photon recoil temperature,” *Phys. Rev. Lett.* **82**, 1116–1119 (1999).
- [50] H. Katori, M. Takamoto, V. G. Pal’chikov, and V. D. Ovsiannikov, “Ultrastable optical clock with neutral atoms in an engineered light shift trap,” *Phys. Rev. Lett.* **91**, 173 005 (2003).
- [51] J. Levine, “Introduction to time and frequency metrology,” *Rev. Sci. Instrum.* **70**, 2567–2596 (1999).
- [52] T. H. Loftus, T. Ido, A. D. Ludlow, M. M. Boyd, and J. Ye, “Narrow line cooling: Finite photon recoil dynamics,” *Phys. Rev. Lett.* **93**, 073 003 (2004).
- [53] L.-S. Ma, Z. Bi, A. Bartels, L. Robertsson, M. Zucco, R. S. Windeler, G. Wilpers, C. Oates, L. Hollberg, and S. A. Diddams, “Optical frequency synthesis and comparison with uncertainty at the 10^{-19} level,” *Science* **303**, 1843–1845 (2004).

- [54] L.-S. Ma, P. Jungner, J. Ye, and J. L. Hall, “Delivering the same optical frequency at two places: Accurate cancellation of phase noise introduced by an optical fiber or other time-varying path,” *Opt. Lett.* **19**, 1777–1779 (1994).
- [55] H. Marion, F. P. Dos Santos, M. Abgrall, S. Zhang, Y. Sortais, S. Bize, I. Maksimovic, D. Calonico, J. Grünert, C. Mandache, P. Lemonde, G. Santarelli, P. Laurent, A. Clairon, and C. Salomon, “Search for variations of fundamental constants using atomic fountain clocks,” *Phys. Rev. Lett.* **90**, 150 801 (2003).
- [56] H. J. Metcalf and P. van der Straten, *Laser Cooling and Trapping* (Springer, New York, 1999).
- [57] T. Mukaiyama, H. Katori, T. Ido, Y. Li, and M. Kuwata-Gonokami, “Recoil-limited laser cooling of ^{87}Sr atoms near the Fermi temperature,” *Phys. Rev. Lett.* **90**, 113 002 (2003).
- [58] L. E. Nelson, D. J. Jones, K. Tamura, H. A. Haus, and E. P. Ippen, “Ultrashort-pulse fiber ring lasers,” *Appl. Phys. B* **65**, 277–294 (1997).
- [59] A. Poppe, R. Holzwarth, A. Apolonski, G. Tempea, C. Spielmann, T. W. Hänsch, and F. Krausz, “Few-cycle optical waveform synthesis,” *Appl. Phys. B: Lasers Opt.* **72**, 373–376 (2001).
- [60] J. D. Prestage, R. L. Tjoelker, and L. Maleki, “Atomic clocks and variations of the fine-structure constant,” *Phys. Rev. Lett.* **74**, 3511–3514 (1995).
- [61] L. E. Primas, R. T. Logan, Jr., and G. F. Lutes, “Applications of ultra-stable fiber optic distribution systems,” in *Proceedings of the 43rd Annual Symposium on Frequency Control, 1989* (Institute of Electrical and Electronics Engineers, Piscataway, New Jersey, 1989), pp. 202–211.
- [62] T. J. Quinn, “Practical realization of the definition of the metre (1997),” *Metrologia* **36**, 211–244 (1999).
- [63] R. J. Rafac, B. C. Young, J. A. Beall, W. M. Itano, D. J. Wineland, and J. C. Bergquist, “Sub-dekahertz ultraviolet spectroscopy of $^{199}\text{Hg}^+$,” *Phys. Rev. Lett.* **85**, 2462–2465 (2000).
- [64] N. F. Ramsey, “Applications of atomic clocks,” in *Laser Physics at the Limits*, H. Figger, D. Meschede, and C. Zimmermann, eds. (Springer, Berlin, 2002), pp. 3–8.
- [65] J. K. Ranka, R. S. Windeler, and A. J. Stentz, “Visible continuum generation in air-silica microstructure optical fibers with anomalous dispersion at 800 nm,” *Opt. Lett.* **25**, 25–27 (2000).
- [66] L. A. Rawley, J. H. Taylor, M. M. Davis, and D. W. Allan, “Millisecond pulsar PSR 1937+21: A highly stable clock,” *Science* **238**, 761–765 (1987).
- [67] R. Santra, E. Arimondo, T. Ido, C. H. Greene, and J. Ye, “High-accuracy optical clock via three-level coherence in neutral bosonic ^{88}Sr ,” *Phys. Rev. Lett.* **94**, 173 002 (2005).

- [68] R. K. Shelton, S. M. Foreman, L.-S. Ma, J. L. Hall, H. C. Kapteyn, M. M. Murnane, M. Notcutt, and J. Ye, “Subfemtosecond timing jitter between two independent, actively synchronized, mode-locked lasers,” *Opt. Lett.* **27**, 312–314 (2002).
- [69] R. K. Shelton, L.-S. Ma, H. C. Kapteyn, M. M. Murnane, J. L. Hall, and J. Ye, “Phase-coherent optical pulse synthesis from separate femtosecond lasers,” *Science* **293**, 1286–1289 (2001).
- [70] B. Shillue, S. AlBanna, and L. D’Addario, “Transmission of low phase noise, low phase drift millimeter-wavelength references by a stabilized fiber distribution system,” in *2004 IEEE International Topical Meeting on Microwave Photonics Technical Digest* (Institute of Electrical and Electronics Engineers, Piscataway, New Jersey, 2004), pp. 201–204.
- [71] D. E. Spence, P. N. Kean, and W. Sibbett, “60-fsec pulse generation from a self-mode-locked Ti-sapphire laser,” *Opt. Lett.* **16**, 42–44 (1991).
- [72] U. Sterr, C. Degenhardt, H. Stoehr, C. Lisdat, H. Schnatz, J. Helmcke, F. Riehle, G. Wilpers, C. Oates, and L. Hollberg, “The optical calcium frequency standards of PTB and NIST,” *C. R. Phys.* **5**, 845–855 (2004).
- [73] G. Stix, “Real time,” *Sci. Am.* **287**, 36–39 (2002).
- [74] M. Takamoto, F.-L. Hong, R. Higashi, and H. Katori, “An optical lattice clock,” *Nature* **435**, 321–324 (2005).
- [75] H. R. Telle, D. Meschede, and T. W. Hänsch, “Realization of a new concept for visible frequency division: Phase locking of harmonic and sum frequencies,” *Opt. Lett.* **15**, 532–534 (1990).
- [76] J. P. Turneaure, C. M. Will, B. F. Farrell, E. M. Mattison, and R. F. C. Vessot, “Test of the principle of equivalence by a null gravitational red-shift experiment,” *Phys. Rev. D* **27**, 1705–1714 (1983).
- [77] T. Udem, S. A. Diddams, K. R. Vogel, C. W. Oates, E. A. Curtis, W. D. Lee, W. M. Itano, R. E. Drullinger, J. C. Bergquist, and L. Hollberg, “Absolute frequency measurements of the Hg^+ and Ca optical clock transitions with a femtosecond laser,” *Phys. Rev. Lett.* **86**, 4996–4999 (2001).
- [78] J. T. Verdeyen, *Laser Electronics*, Prentice Hall Series in Solid State Physical Electronics (Prentice Hall, Englewood Cliffs, New Jersey, 1995).
- [79] R. F. C. Vessot, M. W. Levine, E. M. Mattison, E. L. Blomberg, T. E. Hoffman, G. U. Nystrom, B. F. Farrel, R. Decher, P. B. Eby, C. R. Baugher, J. W. Watts, D. L. Teuber, and F. D. Wills, “Test of relativistic gravitation with a space-borne hydrogen maser,” *Phys. Rev. Lett.* **45**, 2081–2084 (1980).
- [80] F. L. Walls, “Phase noise issues in femtosecond lasers,” in *Laser Frequency Stabilization, Standards, Measurement, and Applications*, J. L. Hall and J. Ye, eds. (SPIE, Bellingham, Washington, 2001), Vol. 4269 of Proceedings of SPIE, pp. 170–177.

- [81] J. K. Webb, M. T. Murphy, V. V. Flambaum, V. A. Dzuba, J. D. Barrow, C. W. Churchill, J. X. Prochaska, and A. M. Wolfe, “Further evidence for cosmological evolution of the fine structure constant,” *Phys. Rev. Lett.* **87**, 091 301 (2001).
- [82] G. Wilpers, T. Binnewies, C. Degenhardt, U. Sterr, J. Helmcke, and F. Riehle, “Optical clock with ultracold neutral atoms,” *Phys. Rev. Lett.* **89**, 230 801 (2002).
- [83] L. Xu, C. Spielmann, A. Poppe, T. Brabec, F. Krausz, and T. W. Hänsch, “Route to phase control of ultrashort light pulses,” *Opt. Lett.* **21**, 2008–2010 (1996).
- [84] J. Ye and S. T. Cundiff, “Optical frequency combs and their applications,” in Femtosecond Optical Frequency Comb Technology: Principle, Operation, and Applications, J. Ye and S. T. Cundiff, eds. (Springer, New York, 2005), pp. 12–53.
- [85] J. Ye, L.-S. Ma, and J. L. Hall, “Molecular iodine clock,” *Phys. Rev. Lett.* **87**, 270 801 (2001).
- [86] J. Ye, J. L. Peng, R. J. Jones, K. W. Holman, J. L. Hall, D. J. Jones, S. A. Diddams, J. Kitching, S. Bize, J. C. Bergquist, L. W. Hollberg, L. Robertsson, and L.-S. Ma, “Delivery of high-stability optical and microwave frequency standards over an optical fiber network,” *J. Opt. Soc. Am. B-Opt. Phys.* **20**, 1459–1467 (2003).
- [87] J. Ye, L. Robertsson, S. Picard, L.-S. Ma, and J. L. Hall, “Absolute frequency atlas of molecular I₂ lines at 532 nm,” *IEEE Trans. Instrum. Meas.* **48**, 544–549 (1999).
- [88] J. Ye, H. Schnatz, and L. W. Hollberg, “Optical frequency combs: From frequency metrology to optical phase control,” *IEEE. J. Sel. Top. Quantum Electron.* **9**, 1041–1058 (2003).
- [89] B. C. Young, F. C. Cruz, W. M. Itano, and J. C. Bergquist, “Visible lasers with subhertz linewidths,” *Phys. Rev. Lett.* **82**, 3799–3802 (1999).